KRAFTWERK®

FAVORITE TOOLS SINCE 1979

Technical Data

Battery Exodus Pro 12V/22Ah, for 506.100.000

599.001.007



CE RoHS

Model Name Special High Rate Power Battery

Performance

Voltage:	12 volts
Full Charge Voltage:	13.30 volts
Short Circuit Current (Max Cranking Amps):	2500 A est.
Hot Pulse Cranking Amps (HPCA) 1 sec @ 25°C:	1000 A
Cranking Amps (CA) 5 sec @ 32F / 0°C:	450 A
Cold Cranking Amps (CCA) 10 sec @ 32F / 0°C	300-330 A
Capacity (C/20 rate):	22 amp hr
Internal Resistance (ohms):	4.5-6.5 milliohms (0.0045-0.0065ohms)
Life Cycle:	400 - 500 cycles estimated

Physical specs

Unique Features: Durable Virgin Poly Casing, Horizontal and Vertical Mounting
Length: 181mm
Width: 77mm
Height: 167mm
Minimum Weight (lbs): 6.7 kg

Charging Information

Recommended charging information: Automatic Charger
Alternator: Automotive, Marine and Cycle Compatible
Battery charger: Charger 1-2 Amp
Rapid Recharge: Charger 10 Amp with smart charger
Maximum charge if below 80% D.O.D : 30 amp / hr for 15 min with smart charger
Maximum recharge Voltage: 14.2 – 14.8 volts
Float charge: 13.2 volts - 13.5 volts with smart charger

Remark: Data can slightly vary (3% - 7%) depending on the production lot



Waste electrical products should not be disposed of together with household waste. Please recycle where designated facilities exists. Check with your local authority or retailer for recycling advice.

- The battery must be removed from the appliance before it is scrapped.
- The appliance must be disconnected from the main power supply when removing the battery.
- The battery must be disposed of safely.

CE

Conforms to the relevant safety standards of the EU directives. All tools must be checked for damage

KRAFTWERK®

FAVORITE TOOLS SINCE 1979

KRAFTWERK Group AG
Mettlenbachstrasse 23
8617 Mönchaltorf
Switzerland
Tel. +41-44 949 40 50

KRAFTWERK Sarl.
25, rue du Stade
F - 67870 Bischoffsheim
France
Tel. +33-388 48 64 50

KRAFTWERK Deutschland GmbH
Gewerbegebiet Süd 4
D-39443 Stassfurt
Deutschland
Tel.+49 (0)40 855 99 76 0

www.kraftwerktools.com